

# IRON COMBAT 6.0%

<u>GUARANTEED ANALYSIS:</u>	% BY WT.
Iron (Fe) .....	6.0%

**PLANT NUTRIENT SOURCES:**  
Iron (ferrous) glucoheptonate and iron sulfate.

- IRON COMBAT 6.0% PRODUCT INFORMATION:**
- Provides iron nutrient in a readily available form.
  - **IRON COMBAT 6.0%** is formulated for crops that require an immediate source of iron micronutrient at early or late stage of growth. It is recommended as a seed/plant starter or as a foliar

**Caution: Keep Out of Reach of Children**

FOLI-R PLUS™ is a registered Trademark  
Guarantor: AgSciTech Inc.  
1597 EAST CENTER  
Lewiston, Utah 84320

NET CONTENT:	NET WEIGHT:
5 GAL <input type="checkbox"/>	46.75 LBS
275 GAL <input type="checkbox"/>	2575.25 LBS

**DIRECTIONS FOR USE:**  
**IRON COMBAT 6.0%** micronutrient is recommended for use on all plants. IRON COMBAT 6.0% is intended to supplement and enhance a full fertilization program as recommended in accordance with reliable Soil and Tissue Analysis. IRON COMBAT 6.0% provides a source of immediately available nutrients but will not, by itself, provide all necessary nutrients required during the growing season. IRON COMBAT 6.0% is designed for foliar application and for injection through chemigation and sprinkler systems.

- Sprinkler Irrigation:** Apply at the rate of 1 to 2 pints per acre with irrigation water. Inject **IRON COMBAT 6.0%** half an hour before the end of irrigation cycle.
- Soil Application:** Apply at-planting in-furrow or 2x2 at 1 pint per acre.
- Foliar Application:** Apply **IRON COMBAT 6.0%** prior to or immediately after iron deficiency symptoms occur. Apply with 10 to 25 gallons water per acre spray solution at 1 to 2 pints per acre or aerial application in 5 gallons spray solution per acre. Two applications of 0.5 pint each early in the growing season generally will give a better response than one application of 1 pint.  
Apply foliar at the following crop growth stages:
  - Corn:** Apply at V3 - V6.
  - Soybeans:** Apply at V3 - V6.
  - Hay:** Apply at green-up or 10 to 14 days after first cutting and after each cutting.
  - Cereals and grain crops:** Apply at tillering.
  - Small Plants, Shrubs, Flowers & Bushes:** Use 0.25 ounces per gallon of water or mineral mix and foliar spray the plant.
  - Fruit and Nut crops:** Apply 0.5-1 qt/acre. Two applications during the growing season are recommended. One as dormant spray and a second after petal fall.
  - Field and vegetable crops:** Apply 0.5-1 qt/acre early in the growth stage.
  - Greenhouse plants:** dilute **IRON COMBAT 6.0%** at least 200 times with water and spray foliage or inject through drip line at the rate of 1-2 qts/acre (250-500 ml/1000 m<sup>2</sup>)
  - Compatibility:** IRON COMBAT 6.0% is compatible with most fertilizers (including phosphates) and registered pesticides. However, compatibility jar test and small plot test is recommended before large-scale treatments are started. Always refer to products label. **TANK MIXING** Fill the tank with half the water, add IRON COMBAT 6.0% and agitate to dissolve. Add dry formulations and dissolve, follow by liquids. Bring to volume with water. After thorough mixing, allow this mixture to stand for 5 minutes. If the combination remains mixed or can be readily remixed, it is physically compatible. Once compatibility has been proven, use the same procedure for adding products to the spray tank.

**IMPORTANT NOTICE TO PURCHASER:** Seller's and manufacturer's only obligation to a purchaser or user of this product shall be to refund the purchase price, or to replace the quantity purchased, of any defective product. In no event shall Seller or manufacturer be liable to a purchaser or user of this product for any claim for any economic, indirect, special, incidental or consequential damages, or for any injury, loss or damage, direct or indirect, to any person or property. Purchaser of this fertilizer material expressly acknowledges and agrees to these terms.